
SOFA Vector/Matrix Library

PREFACE

The routines described here comprise the SOFA vector/matrix library. Their general appearance and coding style conforms to conventions agreed by the SOFA Board, and their functions, names and algorithms have been ratified by the Board. Procedures for soliciting and agreeing additions to the library are still evolving.

PROGRAMMING LANGUAGES

The SOFA routines are available in two programming languages at present: Fortran 77 and ANSI C.

There is a one-to-one relationship between the two language versions. The naming convention is such that a SOFA routine referred to generically as "EXAMPL" exists as a Fortran subprogram `iau_EXAMPL` and a C function `iauExempl`. The calls for the two versions are very similar, with the same arguments in the same order. In a few cases, the C equivalent of a Fortran SUBROUTINE subprogram uses a return value rather than an argument.

GENERAL PRINCIPLES

The library consists mostly of routines which operate on ordinary Cartesian vectors (x,y,z) and 3x3 rotation matrices. However, there is also support for vectors which represent velocity as well as position and vectors which represent rotation instead of position. The vectors which represent both position and velocity may be considered still to have dimensions (3), but to comprise elements each of which is two numbers, representing the value itself and the time derivative. Thus:

- * "Position" or "p" vectors (or just plain 3-vectors) have dimension (3) in Fortran and [3] in C.
- * "Position/velocity" or "pv" vectors have dimensions (3,2) in Fortran and [2][3] in C.
- * "Rotation" or "r" matrices have dimensions (3,3) in Fortran and [3][3] in C. When used for rotation, they are "orthogonal"; the inverse of such a matrix is equal to the transpose. Most of the routines in this library do not assume that r-matrices are necessarily orthogonal and in fact work on any 3x3 matrix.
- * "Rotation" or "r" vectors have dimensions (3) in Fortran and [3] in C. Such vectors are a combination of the Euler axis and angle and are convertible to and from r-matrices. The direction is the axis of rotation and the magnitude is the angle of rotation, in radians. Because the amount of rotation can be scaled up and down simply by multiplying the vector by a scalar, r-vectors are useful for representing spins about an axis which is fixed.
- * The above rules mean that in terms of memory address, the three velocity components of a pv-vector follow the three position components. Application code is permitted to exploit this and all other knowledge of the internal layouts: that x, y and z appear in that order and are in a right-handed Cartesian coordinate system etc. For example, the `cp` function (copy a p-vector) can be used to copy the velocity component of a pv-vector (indeed, this is how the `CPV` routine is coded).
- * The routines provided do not completely fill the range of operations that link all the various vector and matrix options, but are confined to functions that are required by other parts of the SOFA software or which are likely to prove useful.

In addition to the vector/matrix routines, the library contains some routines related to spherical angles, including conversions to and from sexagesimal format.

Using the library requires knowledge of vector/matrix methods, spherical trigonometry, and methods of attitude representation. These topics are covered in many textbooks, including "Spacecraft Attitude Determination and Control", James R. Wertz (ed.), Astrophysics and Space Science Library, Vol. 73, D. Reidel Publishing Company, 1986.

OPERATIONS INVOLVING P-VECTORS AND R-MATRICES

Initialize

ZP	zero p-vector
ZR	initialize r-matrix to null
IR	initialize r-matrix to identity

Copy

CP	copy p-vector
CR	copy r-matrix

Build rotations

RX	rotate r-matrix about x
RY	rotate r-matrix about y
RZ	rotate r-matrix about z

Spherical/Cartesian conversions

S2C	spherical to unit vector
C2S	unit vector to spherical
S2P	spherical to p-vector
P2S	p-vector to spherical

Operations on vectors

PPP	p-vector plus p-vector
PMP	p-vector minus p-vector
PPSP	p-vector plus scaled p-vector
PDP	inner (=scalar=dot) product of two p-vectors
PXP	outer (=vector=cross) product of two p-vectors
PM	modulus of p-vector
PN	normalize p-vector returning modulus
SXP	multiply p-vector by scalar

Operations on matrices

RXR	r-matrix multiply
TR	transpose r-matrix

Matrix-vector products

RXP	product of r-matrix and p-vector
TRXP	product of transpose of r-matrix and p-vector

Separation and position-angle

SEPP	angular separation from p-vectors
SEPS	angular separation from spherical coordinates
PAP	position-angle from p-vectors
PAS	position-angle from spherical coordinates

Rotation vectors

RV2M	r-vector to r-matrix
RM2V	r-matrix to r-vector

OPERATIONS INVOLVING PV-VECTORS

Initialize

ZPV zero pv-vector

Copy/extend/extract

CPV copy pv-vector
P2PV append zero velocity to p-vector
PV2P discard velocity component of pv-vector

Spherical/Cartesian conversions

S2PV spherical to pv-vector
PV2S pv-vector to spherical

Operations on pv-vectors

PVPPV pv-vector plus pv-vector
PVMPPV pv-vector minus pv-vector
PVDPV inner (=scalar=dot) product of two pv-vectors
PVXPPV outer (=vector=cross) product of two pv-vectors
PVM modulus of pv-vector
SXPV multiply pv-vector by scalar
S2XPPV multiply pv-vector by two scalars
PVU update pv-vector
PVUP update pv-vector discarding velocity

Matrix-vector products

RXPV product of r-matrix and pv-vector
TRXPV product of transpose of r-matrix and pv-vector

OPERATIONS ON ANGLES

Wrap

ANP normalize radians to range 0 to 2pi
ANPM normalize radians to range -pi to +pi

To sexagesimal

A2TF decompose radians into hours, minutes, seconds
A2AF decompose radians into degrees, arcminutes, arcseconds
D2TF decompose days into hours, minutes, seconds

From sexagesimal

AF2A degrees, arcminutes, arcseconds to radians
TF2A hours, minutes, seconds to radians
TF2D hours, minutes, seconds to days

CALLS: FORTRAN VERSION

CALL iau_A2AF (NDP, ANGLE, SIGN, IDMSF)
CALL iau_A2TF (NDP, ANGLE, SIGN, IHMSF)
CALL iau_AF2A (S, IDEG, IAMIN, ASEC, RAD, J)
D = iau_ANP (A)
D = iau_ANPM (A)
CALL iau_C2S (P, THETA, PHI)
CALL iau_CP (P, C)
CALL iau_CPV (PV, C)
CALL iau_CR (R, C)
CALL iau_D2TF (NDP, DAYS, SIGN, IHMSF)
CALL iau_IR (R)
CALL iau_P2PV (P, PV)
CALL iau_P2S (P, THETA, PHI, R)
CALL iau_PAP (A, B, THETA)
CALL iau_PAS (AL, AP, BL, BP, THETA)
CALL iau_PDP (A, B, ADB)
CALL iau_PM (P, R)
CALL iau_PMP (A, B, AMB)

```

CALL iau_PN      ( P, R, U )
CALL iau_PPP    ( A, B, APB )
CALL iau_PPSP   ( A, S, B, APSB )
CALL iau_PV2P   ( PV, P )
CALL iau_PV2S   ( PV, THETA, PHI, R, TD, PD, RD )
CALL iau_PVDPV  ( A, B, ADB )
CALL iau_PVM    ( PV, R, S )
CALL iau_PVMPV  ( A, B, AMB )
CALL iau_PVPPV  ( A, B, APB )
CALL iau_PVU    ( DT, PV, UPV )
CALL iau_PVUP   ( DT, PV, P )
CALL iau_PVXPV  ( A, B, AXB )
CALL iau_PXP    ( A, B, AXB )
CALL iau_RM2V   ( R, P )
CALL iau_RV2M   ( P, R )
CALL iau_RX     ( PHI, R )
CALL iau_RXP    ( R, P, RP )
CALL iau_RXPV   ( R, PV, RPV )
CALL iau_RXR    ( A, B, ATB )
CALL iau_RY     ( THETA, R )
CALL iau_RZ     ( PSI, R )
CALL iau_S2C    ( THETA, PHI, C )
CALL iau_S2P    ( THETA, PHI, R, P )
CALL iau_S2PV   ( THETA, PHI, R, TD, PD, RD, PV )
CALL iau_S2XPV  ( S1, S2, PV )
CALL iau_SEPP   ( A, B, S )
CALL iau_SEPS   ( AL, AP, BL, BP, S )
CALL iau_SXP    ( S, P, SP )
CALL iau_SXPV   ( S, PV, SPV )
CALL iau_TF2A   ( S, IHOURL, IMIN, SEC, RAD, J )
CALL iau_TF2D   ( S, IHOURL, IMIN, SEC, DAYS, J )
CALL iau_TR     ( R, RT )
CALL iau_TRXP   ( R, P, TRP )
CALL iau_TRXPV  ( R, PV, TRPV )
CALL iau_ZP     ( P )
CALL iau_ZPV    ( PV )
CALL iau_ZR     ( R )

```

CALLS: C VERSION

```

    iauA2af ( ndp, angle, &sign, idmsf );
    iauA2tf ( ndp, angle, &sign, ihmsf );
i = iauAf2a ( s, ideg, iamin, asec, &rad );
d = iauAnp  ( a );
d = iauAnpm ( a );
    iauC2s  ( p, &theta, &phi );
    iauCp   ( p, c );
    iauCpv  ( pv, c );
    iauCr   ( r, c );
    iauD2tf ( ndp, days, &sign, ihmsf );
    iauIr   ( r );
    iauP2pv ( p, pv );
    iauP2s  ( p, &theta, &phi, &r );
d = iauPap  ( a, b );
d = iauPas  ( al, ap, bl, bp );
d = iauPdp  ( a, b );
d = iauPm   ( p );
    iauPmp  ( a, b, amb );
    iauPn   ( p, &r, u );
    iauPpp  ( a, b, apb );
    iauPpsp ( a, s, b, apsb );
    iauPv2p ( pv, p );
    iauPv2s ( pv, &theta, &phi, &r, &td, &pd, &rd );
    iauPvdpv ( a, b, adb );
    iauPvm  ( pv, &r, &s );
    iauPvmpv ( a, b, amb );
    iauPvppv ( a, b, apb );
    iauPvu  ( dt, pv, upv );
    iauPvup ( dt, pv, p );
    iauPvxpv ( a, b, axb );
    iauPxp  ( a, b, axb );
    iauRm2v ( r, p );

```

```
iauRv2m ( p, r );
iauRx   ( phi, r );
iauRxp  ( r, p, rp );
iauRxpv ( r, pv, rpv );
iauRxr  ( a, b, atb );
iauRy   ( theta, r );
iauRz   ( psi, r );
iauS2c  ( theta, phi, c );
iauS2p  ( theta, phi, r, p );
iauS2pv ( theta, phi, r, td, pd, rd, pv );
iauS2xpv ( s1, s2, pv );
d = iauSepp ( a, b );
d = iauSeps ( a1, ap, b1, bp );
iauSxp  ( s, p, sp );
iauSxpv ( s, pv, spv );
i = iauTf2a ( s, ihour, imin, sec, &rad );
i = iauTf2d ( s, ihour, imin, sec, &days );
iauTr   ( r, rt );
iauTrxp ( r, p, trp );
iauTrxpv ( r, pv, trpv );
iauZp   ( p );
iauZpv  ( pv );
iauZr   ( r );
```